



## LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long lasting and energy efficient lighting. Choose from a wide range of 3w to 4w variations.

### Product Features

- Innumerable styles & elegant appearance
- Non - Flickering
- Premium quality power driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast aluminium body
- Low maintenance
- All down lights come with premium quality power

### Applications


Residences, showrooms, hotels & boutiques etc.



Hotel Downlight-COB

6w VT-2907

SKU: 1479 - 3000K Warm White 3800157644242  
SKU: 1480 - 4000K Day White 3800157644259



Cutting Size  
Ø55mm


Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø65x82mm
Cutting Size:	Ø55mm
Box Qty:	24 Pcs

Hotel Downlight-COB

10w VT-2911

SKU: 1481 - 3000K Warm White 3800157644068  
SKU: 1482 - 4000K Day White 3800157644075



Cutting Size  
Ø75mm


Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	650lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø85x96mm
Cutting Size:	Ø75mm
Box Qty:	16 Pcs

Hotel Downlight-COB

15w VT-2916

SKU: 1483 - 3000K Warm White 3800157644082  
SKU: 1484 - 4000K Day White 3800157644099



Cutting Size  
Ø95mm


Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	100lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø105x113mm
Cutting Size:	Ø105mm
Box Qty:	12 Pcs

Hotel Downlight-COB

35w VT-2936

SKU: 1477 - 3000K Warm White 3800157644105  
SKU: 1478 - 4000K Day White 3800157644112



Cutting Size  
Ø150mm

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2300lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø160x176mm
Cutting Size:	Ø150mm
Box Qty:	8 Pcs

NEW



Side Light

3W VT-2903

SKU: 1485 - 3000K Warm White 3800157642675

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6

Beam Angle:	30°
Body Type:	Die Cast Aluminium
Color of Fixture:	Black
Dimension:	80x80x25mm
Cutting Size:	N/A
Box Qty:	40 Pcs

NEW



Side Light

3W VT-2913

SKU: 1486 - 3000K Warm White 3800157644327

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6

Beam Angle:	30°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	90x60x30mm
Cutting Size:	N/A
Box Qty:	40 Pcs

NEW



Side Light

3W VT-2943

SKU: 1487 - 3000K Warm White 3800157644334

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6

Beam Angle:	30°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	120x120x45mm
Cutting Size:	N/A
Box Qty:	20 Pcs

NEW



Side Light

3+6W VT-2953

SKU: 1488 - 3000K Warm White 3800157644341

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180+500lm
LED Type:	CREE Chip
CRI:	>80
PF	>0.6

Beam Angle:	120°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	300x50x35mm
Cutting Size:	N/A
Box Qty:	30 Pcs

NEW



Side Light

3+6W VT-2963

SKU: 1489 - 3000K Warm White 3800157644358

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180+500lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6


Beam Angle:	120°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	140x30mm
Cutting Size:	N/A
Box Qty:	30 Pcs



**120+**  
LUMENS/WATT  
SUPER EFFICIENT

Reflector Series - High Lumen  
**10W VT-26101**

SKU: 1270 - 3000K Warm White 3800157611923  
SKU: 1271 - 4000K Day White 3800157611930  
SKU: 1272 - 6400K White 3800157611947



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	1200lm
LED Type:	COB
CRI:	>80
PF:	>0.5


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø120mm
Box Qty:	27 Pcs



**120+**  
LUMENS/WATT  
SUPER EFFICIENT

Reflector Series - High Lumen  
**20W VT-26201**

SKU: 1273 - 3000K Warm White 3800157611954  
SKU: 1274 - 4000K Day White 3800157611961  
SKU: 1275 - 6400K White 3800157611978



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	2400lm
LED Type:	COB
CRI:	>80
PF:	>0.5


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø180x83mm
Cutting Size:	Ø167mm
Box Qty:	18 Pcs



**120+**  
LUMENS/WATT  
SUPER EFFICIENT

Reflector Series - High Lumen  
**30W VT-26301**

SKU: 1276 - 3000K Warm White 3800157611985  
SKU: 1277 - 4000K Day White 3800157611992  
SKU: 1278 - 6400K White 3800157612005



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	3600lm
LED Type:	COB
CRI:	>80
PF:	>0.9


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs



**120+**  
LUMENS/WATT  
SUPER EFFICIENT

Reflector Series - High Lumen  
**40W VT-26451**

SKU: 1453 - 3000K Warm White 3800157635561  
SKU: 1279 - 4500K Day White 3800157612012




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-270V,50/60Hz
Luminous Flux:	4800lm
LED Type:	COB
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs



Reflector Series  
**10W VT-2610**

SKU: 1100 - 6000K White 3800230622372



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	730lm
LED Type:	COB
CRI:	>80
PF:	>0.5


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø105mm
Box Qty:	27 Pcs

## Reflector Series

SKU: 1103 - 6000K White

3800230622402

## 20W VT-2620



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø182x90mm
Cutting Size:	Ø160mm
Box Qty:	18 Pcs

## Zoom Series - Rectangle

SKU: 1306 - 3000K Warm White

3800157619936


SKU: 1307 - 4000K Day White

3800157619943

SKU: 1289 - 6400K White

3800157619646

## 30W VT-2930



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2450lm
LED Type:	COB
CRI:	>80
PF:	>0.9

Beam Angle:	99°
Body Type:	Die Cast Aluminum
Color of Fixture:	White
Shape:	Rectangle
Dimension:	235x146x139mm
Cutting Size:	220 x 132mm
Box Qty:	20 Pcs

## Zoom Series - Round

SKU: 1304 - 3000K Warm White

3800157619912


SKU: 1305 - 4500K Day White

3800157619929

SKU: 1288 - 6400K White

3800157619639

## 33W VT-2933



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2650lm
LED Type:	COB
CRI:	>80
PF:	>0.9

Beam Angle:	24°
Body Type:	Die Cast Aluminum
Color of Fixture:	White
Shape:	Round
Dimension:	Ø165x140mm
Cutting Size:	Ø 155
Box Qty:	20 Pcs

## Downlight-Moving Head-Square

SKU: 5096 - 4000K Day White

3800157609371

SKU: 5097 - 6400K White

3800157609388

3800157609395

## 3W VT-1133SQ



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	200lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	60°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	55x55x42mm
Cutting Size:	45 x 45mm
Box Qty:	100 Pcs

## Downlight-Fixed Type-Square

SKU: 5110 - 6400K White

3800157609456

## 3W VT-1123SQ



Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	200lm
LED Type:	COB
CRI:	>80
PF:	>0.5


Beam Angle:	60°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	45x45x35mm
Cutting Size:	36 x 36 mm
Box Qty:	100 Pcs





Step Light With Sensor  
3W VT-8035

SKU: 5570 - 4000K Day White 3800157617291




Sensor Compatible:	<b>Sensor Included</b>
Voltage/Frequency:	<b>AC:100-240V, 50/60Hz</b>
Luminous Flux:	<b>100lm</b>
LED Type:	<b>SMD</b>
CRI:	<b>&gt;80</b>
PF	<b>&gt;0.5</b>

Beam Angle:	<b>45°</b>
Body Type:	<b>Die cast Aluminum</b>
Color of Fixture:	<b>White</b>
Shape:	<b>Square</b>
Dimension:	<b>85x85x42mm</b>
Cutting Size:	<b>85x85mm</b>
Box Qty:	<b>100 Pcs</b>



Steplight-Square  
3W VT-1143

SKU: 1284 - 4000K Day White 3800157617307




Sensor Compatible:	<b>Yes</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>
Luminous Flux:	<b>100lm</b>
LED Type:	<b>SMD</b>
CRI:	<b>&gt;80</b>
PF	<b>&gt;0.5</b>

Beam Angle:	<b>83°</b>
Body Type:	<b>Die Cast Aluminium</b>
Color of Fixture:	<b>White</b>
Shape:	<b>Square</b>
Dimension:	<b>84x84x43mm</b>
Cutting Size:	<b>72x72mm</b>
Box Qty:	<b>100 Pcs</b>



Steplight-Square  
3W VT-1109

SKU: 1209 - 3000K Warm White 3800157600255  
SKU: 1210 - 4200K Day White 3800157600262




Sensor Compatible:	<b>Yes</b>
Voltage/Frequency:	<b>AC:100-240V,50/60Hz</b>
Luminous Flux:	<b>120lm</b>
LED Type:	<b>COB</b>
CRI:	<b>&gt;80</b>
PF	<b>&gt;0.5</b>

Beam Angle:	<b>15°</b>
Body Type:	<b>Aluminium</b>
Color of Fixture:	<b>White</b>
Shape:	<b>Square</b>
Dimension:	<b>80x80x51mm</b>
Cutting Size:	<b>62x62mm</b>
Box Qty:	<b>100 Pcs</b>



Steplight-Round  
3W VT-1109RD

SKU: 1207 - 3000K Warm White 3800157600231  
SKU: 1208 - 4200K Day White 3800157600248



Sensor Compatible:	<b>Yes</b>
Voltage/Frequency:	<b>AC:100-240V,50/60Hz</b>
Luminous Flux:	<b>120lm</b>
LED Type:	<b>COB</b>
CRI:	<b>&gt;80</b>
PF	<b>&gt;0.5</b>

Beam Angle:	<b>15°</b>
Body Type:	<b>Aluminium</b>
Color of Fixture:	<b>White</b>
Shape:	<b>Round</b>
Dimension:	<b>Ø80x51mm</b>
Cutting Size:	<b>Ø62mm</b>
Box Qty:	<b>100 Pcs</b>

**NEW**



Round Steplight  
0.5W VT-1141

SKU: 1463 - 3000K Warm White 3800157643610



Sensor Compatible:	<b>Yes</b>
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>
Luminous Flux:	<b>5lm</b>
LED Type:	<b>SMD</b>
CRI:	<b>&gt;80</b>
PF	<b>&gt;0.4</b>

Beam Angle:	<b>90°</b>
Body Type:	<b>PC</b>
Color of Fixture:	<b>Silver+Black</b>
Shape:	<b>Round</b>
Dimension:	<b>Ø26X82mm</b>
Cutting Size:	<b>Ø25mm</b>
Box Qty:	<b>50 Pcs</b>

NEW




Round Steplight

SKU: 1464 - 6500K White

3800157643627

1W VT-1151



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	50lm
LED Type:	SMD
CRI:	>80
PF	>0.4

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Silver+Black
Shape:	Round
Dimension:	Ø48X82mm
Cutting Size:	Ø43mm
Box Qty:	50 Pcs

NEW



Round Steplight


SKU: 1467 - 6500K White

3800157643658

1W VT-1161-W

SKU: 1465 - 3000K Warm White

3800157643634



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	10lm
LED Type:	SMD
CRI:	>80
PF	>0.4

Beam Angle:	90°
Body Type:	PC+AL
Color of Fixture:	White
Shape:	Round
Dimension:	Ø60X93mm
Cutting Size:	Ø43mm
Box Qty:	50 Pcs

NEW



Round Steplight


SKU: 1468 - 6500K White

3800157643665

1W VT-1161-B

SKU: 1466 - 3000K Warm White

3800157643641



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	10lm
LED Type:	SMD
CRI:	>80
PF	>0.4

Beam Angle:	90°
Body Type:	PC+AL
Color of Fixture:	Black
Shape:	Round
Dimension:	Ø60X93mm
Cutting Size:	Ø43mm
Box Qty:	50 Pcs

NEW



Round Steplight


SKU: 1471 - 6500K White

3800157643696

1W VT-1171-W

SKU: 1469 - 3000K Warm White

3800157643672



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V
Luminous Flux:	10lm
LED Type:	SMD
CRI:	>80
PF	>0.4

Beam Angle:	90°
Body Type:	PC+AL
Color of Fixture:	White
Shape:	Round
Dimension:	Ø60X93mm
Cutting Size:	Ø43mm
Box Qty:	50 Pcs

NEW



Round Steplight


SKU: 1472 - 6500K White

3800157643702

1W VT-1171-B

SKU: 1470 - 3000K Warm White

3800157643689



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V
Luminous Flux:	10lm
LED Type:	SMD
CRI:	>80
PF	>0.4

Beam Angle:	90°
Body Type:	PC+AL
Color of Fixture:	Black
Shape:	Round
Dimension:	Ø60X93mm
Cutting Size:	Ø43mm
Box Qty:	50 Pcs

Step Light-Rectangle-IP65

SKU: 1327 - 3000K Warm White 3800157620550  
SKU: 1326 - 4000K Day White 3800157620543

3W VT-1162-W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Rectangle-IP65

SKU: 1329 - 3000K Warm White 3800157620574  
SKU: 1328 - 4000K Day White 3800157620567

3W VT-1162-B



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Rectangle-IP65

SKU: 1331 - 3000K Warm White 3800157620598  
SKU: 1330 - 4000K Day White 3800157620581

3W VT-1162-G




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Round-IP65

SKU: 1315 - 3000K Warm White 3800157620437  
SKU: 1314 - 4000K Day White 3800157620420

2W VT-1142-W




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Round-IP65

SKU: 1317 - 3000K Warm White 3800157620451  
SKU: 1316 - 4000K Day White 3800157620444

2W VT-1142-B



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF:	>0.5


Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs





Step Light-Round-IP65  
2W VT-1142-G

SKU: 1319 - 3000K Warm White 3800157620475  
SKU: 1318 - 4000K Day White 3800157620468




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65  
2W VT-1152-W

SKU: 1321 - 3000K Warm White 3800157620499  
SKU: 1320 - 4000K Day White 3800157620482




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65  
2W VT-1152-B

SKU: 1323 - 3000K Warm White 3800157620512  
SKU: 1322 - 4000K Day White 3800157620505




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65  
2W VT-1152-G

SKU: 1325 - 3000K Warm White 3800157620536  
SKU: 1324 - 4000K Day White 3800157620529



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light - IP65  
3W VT-1172-B

SKU: 1398 - 3000K Warm White 3800157628310  
SKU: 1399 - 4000K Day White 3800157628327



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Black
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light - IP65  
3W VT-1172-G

SKU: 1400 - 3000K Warm White 3800157628334  
SKU: 1401 - 4000K Day White 3800157628341



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light - IP65  
3W VT-1172-W

SKU: 1402 - 3000K Warm White 3800157628358  
SKU: 1403 - 4000K Day White 3800157628365



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	White
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65  
3W VT-1182-B

SKU: 1404 - 3000K Warm White 3800157628372  
SKU: 1405 - 4000K Day White 3800157628389



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65  
3W VT-1182-G

SKU: 1406 - 3000K Warm White 3800157628396  
SKU: 1407 - 4000K Day White 3800157628402



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65  
3W VT-1182-W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Steplight-Rectangle  
6W VT-856-B



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	240lm
LED Type:	SMD
CRI:	>70
PF	>0.6

Beam Angle:	120°
Body Type:	Aluminium
Color of Fixture:	Black
Shape:	Rectangle
Dimension:	210x65x60mm
Cutting Size:	195x46mm
Box Qty:	50 Pcs

Steplight-Rectangle  
6W VT-856-G



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	240lm
LED Type:	SMD
CRI:	>70
PF	>0.6

Beam Angle:	120°
Body Type:	Aluminium
Color of Fixture:	Grey
Shape:	Rectangle
Dimension:	210x65x60mm
Cutting Size:	195x46mm
Box Qty:	50 Pcs

Steplight-Rectangle  
6W VT-856-W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	240lm
LED Type:	SMD
CRI:	>70
PF	>0.6

Beam Angle:	120°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Rectangle
Dimension:	210x65x60mm
Cutting Size:	195x46mm
Box Qty:	50 Pcs