



Italian & European Sockets and Adapters

Extensive variety of electrical accessories to power your devices with Italian & European socket and adapters made from high-quality, modern components from V-TAC. Includes cable reels and sockets of different types and lengths, extension cords, travel adapters/converters, grounded counterparts, and more.

- 3/4/5/6/8-way sockets - sockets with switches and/or USB ports also available
- Includes sockets for different socket types compatible in Italy and more European countries
- 2/3/4 Outlet, Universal Travel Adapters available for flexibility of use
- Earthing variants available for select socket types

10M Wire



VT-6002
SKU: 8781 3800157643528
CABLE REEL WITH 4 SOCKET

Wire Length:	10M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	20X27X6.5mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	Black
Box Qty:	5 pcs

25M Wire



VT-6003
SKU: 8782 3800157643535
CABLE REEL WITH 4 SOCKET

Wire Length:	25M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	24X13X33mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	Black
Box Qty:	1 pcs

3M Wire



VT-3001-3
SKU: 8778 3800157643498
Extension Cord

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	250x200x150mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

5M Wire



VT-3001-5
SKU: 8779 3800157643504
Extension Cord

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	200X160X90mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

10M Wire



VT-3001-10
SKU: 8780 3800157643511
Extension Cord

Wire Length:	10M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	200x110x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	15 pcs

1.4M Wire



VT-1153-2
SKU: 8799 3800157645669
3WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

Wire Length:	1.4M
Input Power:	AC:230V
Body Type:	PC
Dimension:	130X138.30x42mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

1.4M Wire



VT-1154-2
SKU: 8800 3800157645676
4WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

Wire Length:	1.4M
Input Power:	AC:230V
Body Type:	PC
Dimension:	77X77X82.8mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

1.5M Wire



VT-1117-4
SKU: 8770 3800157643412
4 HOLES SOCKET WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

1.5M Wire



VT-1117-2
 SKU: 8771 3800157643429
 4 HOLES SOCKET WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	Black
Box Qty:	40 pcs

1.5M Wire



VT-1118-8
 SKU: 8772 3800157643436
 8 HOLES SOCKET WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	186x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

1.5M Wire



VT-1118-2
 SKU: 8773 3800157643443
 8 HOLES SOCKET WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	186x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	Black
Box Qty:	40 pcs

1.5M Wire



VT-1124-2
 SKU: 8774 3800157643450
 WITH SWITCH 3WAYS SOCKET WITH 2USB

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

5M Wire



VT-1124-5
 SKU: 8775 3800157643467
 WITH SWITCH 3WAYS SOCKET WITH 2USB

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	20 pcs

1.5M Wire



VT-1125-2
 SKU: 8776 3800157643474
 WITH SWITCH 3WAYS SOCKET WITH 2USB

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	Black
Box Qty:	40 pcs

5M Wire



VT-1125-5
 SKU: 8777 3800157643481
 WITH SWITCH 3WAYS SOCKET WITH 2USB

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	Black
Box Qty:	20 pcs

1.5M Wire



VT-1103-2
 SKU: 8754 3800157643252
 3 WAYS SOCKET

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	170x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

3M
Wire

VT-1103-3
SKU: 8755 3800157643269
3 WAYS SOCKET



Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	170x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

1.5M
Wire

VT-1104-2
SKU: 8756 3800157643276
4 WAYS SOCKET



Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

3M
Wire

VT-1104-3
SKU: 8757 3800157643283
4 WAYS SOCKET



Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

1.5M
Wire

VT-1105-2
SKU: 8758 3800157643290
5 WAYS SOCKET



Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

3M
Wire

VT-1105-3
SKU: 8759 3800157643306
5 WAYS SOCKET



Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

1.5M
Wire

VT-1106-2
SKU: 8760 3800157643313
6 WAYS SOCKET



Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	182x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

3M
Wire

VT-1106-3
SKU: 8761 3800157643320
6 WAYS SOCKET



Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	182x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

1.5M
Wire

VT-1113-2
SKU: 8762 3800157643337
3WAYS SOCKET
WITH SWITCH



Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

5M Wire

VT-1113-5
 SKU: 8763 3800157643344
 3WAYS SOCKET WITH SWITCH



Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	20 pcs

1.5M Wire

VT-1114-2
 SKU: 8764 3800157643351
 4WAYS SOCKET WITH SWITCH



Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

5M Wire

VT-1114-5
 SKU: 8765 3800157643368
 4WAYS SOCKET WITH SWITCH



Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	20 pcs

1.5M Wire

VT-1115-2
 SKU: 8766 3800157643375
 5WAYS SOCKET WITH SWITCH



Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	182x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

5M Wire

VT-1115-5
 SKU: 8767 3800157643382
 5WAYS SOCKET WITH SWITCH



Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	182x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	20 pcs

1.5M Wire

VT-1116-2
 SKU: 8768 3800157643399
 6WAYS SOCKET WITH SWITCH



Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	186x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

5M Wire

VT-1116-5
 SKU: 8769 3800157643405
 6WAYS SOCKET WITH SWITCH



Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	186x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	20 pcs

VT-1006-2
 SKU: 8783 3800157643986
 2 WAYS ADAPTER WITH EARTHING CONTACT



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	98x46x74.6mm
Input Current:	16A
Output Current:	2x16A
Rated Load:	2300W
Box Qty:	100 pcs

VT-1005-2

SKU: 8784 3800157643993

**ADAPTER WITH
2 EURO-SOCKET**



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	93.1x48x75.3mm
Input Current:	16A
Output Current:	16A+2x2.5A
Rated Load	3680W
Box Qty:	100 pcs

VT-1004-4

SKU: 8785 3800157644006

**4 WAYS ADAPTER WITH
EARTHING CONTACT
2**



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	91.2x49x78.1mm
Input Current:	16A
Output Current:	4x2.5A
Rated Load	3680W
Box Qty:	100 pcs

VT-1008-2

SKU: 8786 3800157644013

**2 WAYS ADAPTER
WITH EARTHING CONTACT**



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	87.5x45.8x99.5mm
Input Current:	16A
Output Current:	3x16A
Rated Load	3680W
Box Qty:	100 pcs

VT-1009-3

SKU: 8787 3800157644020

**3 WAYS ADAPTER WITH
EARTHING CONTACT**



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	92.8x72.4x86.1mm
Input Current:	16A
Output Current:	3x16A
Rated Load	3680W
Box Qty:	100 pcs

VT-1010-3

SKU: 8788 3800157644037

**3 OUTLET POWER
ADAPTER WITH EARTH
CONTACT AND SWITCH**



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	93.1x69.7x76.5mm
Input Current:	16A
Output Current:	16A+2x2.5A
Rated Load	3680W
Box Qty:	100 pcs

VT-1011-3

SKU: 8789 3800157644044

**3 OUTLET POWER
ADAPTER WITH
EARTH CONTACT**



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	133.6x49.5x76.9mm
Input Current:	16A
Output Current:	3x16A
Rated Load	3680W
Box Qty:	100 pcs

VT-1012-3

SKU: 8790 3800157644051

**3 OUTLET POWER
ADAPTER**



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	87.5x84.98x59.4mm
Input Current:	16A
Output Current:	3x16A
Rated Load	3680W
Box Qty:	100 pcs

VT-1022

SKU: 8801 3800157645683

2 OUTLET ADAPTER 2.5A



Input Power:	AC:230V
Body Type:	PP
Dimension:	44X39X61mm
Input Current:	16A
Output Current:	5A
Rated Load	1100W
Box Qty:	200 pcs



VT-1023
SKU: 8802 3800157645690
3 OUTLET ADAPTER 2.5A

Input Power:	AC:230V
Body Type:	PP
Dimension:	65x47x72mm
Input Current:	16A
Output Current:	7.5A
Rated Load	1700W
Box Qty:	200 pcs



VT-1053
SKU: 8804 3800157645713
ADAPTER WITH 2 SOCKET 2.5A, 1 SOCKET 16A WITH EARTHING CONTACT 16A

Input Power:	AC:230V
Body Type:	PP
Dimension:	92x47.5x75mm
Input Current:	16A
Output Current:	16A
Rated Load	3500W
Box Qty:	200 pcs



VT-1042
SKU: 8805 3800157645720
2 OUTLET ADAPTER 16A WITH EARTHING CONTACT 16A

Input Power:	AC:230V
Body Type:	PP
Dimension:	92x50x75mm
Input Current:	16A
Output Current:	16A
Rated Load	3680W
Box Qty:	200 pcs



VT-1054
SKU: 8803 3800157645706
4 OUTLET ADAPTER 2.5A

Input Power:	AC:230V
Body Type:	PP
Dimension:	83x47x72mm
Input Current:	16A
Output Current:	10A
Rated Load	2300W
Box Qty:	200 pcs



VT-1063
SKU: 8806 3800157645737
ADAPTER WITH 2 SOCKET 2.5A, 1 SOCKET 16A WITH SWITCH & EARTHING CONTACT 16A

Input Power:	AC:230V
Body Type:	PP
Dimension:	95x70x74mm
Input Current:	16A
Output Current:	16A
Rated Load	3500W
Box Qty:	200 pcs



VT-1044-W
SKU: 8795 3800157644303
ADAPTER WITH EARTHING CONTACT & CHARGING

Input Power:	AC:110-230V,50/60Hz
Dimension:	107x54.2x74.2mm
Input Current:	16A
Output Current:	16A+2.1A
Rated Load	3680W
Box Qty:	60 pcs



VT-1044-B
SKU: 8796 3800157644310
ADAPTER WITH EARTHING CONTACT & CHARGING

Input Power:	AC:110-230V,50/60Hz
Dimension:	107x54.2x74.2mm
Input Current:	16A
Output Current:	16A+2.1A
Rated Load	3680W
Box Qty:	60 pcs



VT-1024-W
SKU: 8791 3800157644266
USB TRAVEL ADAPTOR

Input Power:	AC:100-230V,50/60Hz
Body Type:	ABS
Dimension:	27x47x70mm
Input Current:	0.25A
Output Current:	2A
Rated Load	10W
Box Qty:	48 pcs

VT-1024-B

SKU: 8792 3800157644273

USB TRAVEL ADAPTOR



Input Power:	AC:100-230V,50/60Hz
Body Type:	ABS
Dimension:	27x47x70mm
Input Current:	0.25A
Output Current:	2A
Rated Load	10W
Box Qty:	48 pcs

VT-1026-W

SKU: 8793 3800157644280

USB QC3.0 TRAVEL ADAPTOR



Input Power:	AC:100-240V,50/60Hz
Body Type:	PC
Dimension:	42x57x24mm
Input Current:	0.2A
Rated Load	18W
Box Qty:	48 pcs



VT-1026-B

SKU: 8794 3800157644297

USB QC3.0 TRAVEL ADAPTOR



Input Power:	AC:100-240V,50/60Hz
Body Type:	PC
Dimension:	42x57x24mm
Input Current:	0.2A
Rated Load	18W
Box Qty:	48 pcs



Universal Adapter



SKU: 8747 3800157642590

**UNIVERSAL ADAPTOR
10A 250V~**

Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	70x55x50mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

Universal Adapter



SKU: 8704 3800157642163

**UNIVERSAL ADAPTOR WITH
OVERLOAD PROTECTION WITH
2USB 2A**

Input Power:	AC:110-250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95x50x40mm
Input Current:	10A
Output Current:	10A
Rated Load	2500W
Box Qty:	48 pcs

Universal Adapter



SKU: 8705 3800157642170

**UNIVERSAL ADAPTOR WITH
OVERLOAD PROTECTION**

Input Power:	AC:110-250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	70x50x40mm
Input Current:	10A
Output Current:	10A
Rated Load	2500W
Box Qty:	100 pcs



5M
Wire

SKU: 8700 3800157642125

2 prese 2P+T 10/16A Bipasso
Con protezione termica ripristinabile

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	ABS+PC+COPPER
Dimension:	200x160x90mm
Input Current:	16A
Output Current:	16A
Rated Load:	2200W
Color:	Black
Box Qty:	10 pcs

10M
Wire

SKU: 8701 3800157642132

4 prese Bipasso/Schuko
Con protezione termica
ripristinabile

Wire Length:	10M
Input Power:	AC:250V,50/60Hz
Body Type:	ABS+PC+COPPER
Dimension:	250x200x150mm
Input Current:	16A
Output Current:	16A
Rated Load:	2200W
Color:	Black
Box Qty:	6 pcs

15M
Wire

SKU: 8702 3800157642149

4 prese Bipasso/Schuko
Con protezione termica
ripristinabile

Wire Length:	15M
Input Power:	AC:250V,50/60Hz
Body Type:	ABS+PC+COPPER
Dimension:	240x190x160mm
Input Current:	16A
Output Current:	16A
Rated Load:	2200W
Color:	Black
Box Qty:	6 pcs

25M
Wire

SKU: 8703 3800157642156

4 prese Bipasso/Schuko
Con protezione termica
ripristinabile

Wire Length:	25M
Input Power:	AC:250V,50/60Hz
Body Type:	ABS+PC+COPPER
Dimension:	300x240x190mm
Input Current:	16A
Output Current:	16A
Rated Load:	2200W
Color:	Black
Box Qty:	4 pcs

1.5M
Wire

SKU: 8745 3800157642576

2 presa 2p+T10/16A Bipasso +
1 presa Bipasso/schuko
con protezione sovraccarico /
con 2USB

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	145x50x40mm
Input Current:	10A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	40 pcs

3M
Wire

SKU: 8729 3800157642415

Prolunga lineare
spina 10A,2p+T prese 10A

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	200x110x40mm
Input Current:	10A
Output Current:	10A
Rated Load:	2300W
Color:	White
Box Qty:	30 pcs

5M
Wire

SKU: 8730 3800157642422

Prolunga lineare
spina 10A,2p+T prese 10A

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	230x110x60mm
Input Current:	10A
Output Current:	10A
Rated Load:	2300W
Color:	White
Box Qty:	30 pcs

3M
Wire

SKU: 8731 3800157642439

Prolunga lineare
spina 16A,2p+T prese 10/16Aa

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	200x110x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	50 pcs

5M Wire



SKU: 8732 3800157642446
 Prolunga lineare
 spina 16A,2p+T prese 10/16Aa

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	230x110x60mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M Wire



SKU: 8706 3800157642187
 Multipresa, 3 pos. 10/16A prese
 Bipasso
 Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	115x47x22mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	50 pcs

1.5M Wire



SKU: 8707 3800157642194
 Multipresa, 4 pos. 10/16A prese
 Bipasso
 Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	135x47x22mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	50 pcs

1.5M Wire



SKU: 8708 3800157642200
 Multipresa, 5 pos. 10/16A prese
 Bipasso
 Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	155x47x22mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	40 pcs

1.5M Wire



SKU: 8709 3800157642217
 Multipresa, 6 pos. 10/16A prese
 Bipasso
 Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	170x47x22mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	40 pcs

1.5M Wire



SKU: 8710 3800157642224
 3 pos. con interruttore luminoso
 10/16A Bipasso/schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	200x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	50 pcs

1.5M Wire



SKU: 8711 3800157642231
 4 POS.
 CON INTERRUOTORE LUMINOSO
 10/16A BIPASSO/SCHUKO

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	245x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	40 pcs

1.5M Wire



SKU: 8712 3800157642248
 5 pos.
 con interruttore luminoso
 10/16A Bipasso/schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	280x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M
Wire

SKU: 8713 3800157642255

6 pos.
con interruttore luminoso
10/16A Bipasso/schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	325x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M
Wire

SKU: 8714 3800157642262

7 pos.
con interruttore luminoso
10/16A Bipasso/schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	370x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M
Wire

SKU: 8715 3800157642279

5pos. con interruttore luminoso
10/16A Bipasso/schuko +
con 2 connessioni USB

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	335x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M
Wire

SKU: 8748 3800157642606

4 pos.10/16A Bipasso/schuko
con protezione sovratensioni e
interruttori luminoso

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	160x100x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	2500W
Color:	White
Box Qty:	40 pcs

1.5M
Wire

SKU: 8749 3800157642613

6 pos.10/16A Bipasso/schuko
con protezione sovratensioni e
interruttori luminoso

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	200x100x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	2500W
Color:	White
Box Qty:	30 pcs

3M
Wire

SKU: 8733 3800157642453

2 prese 2p+t 10/16A Bipasso
1 prese Bipasso/Schuko

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	100x47x52mm
Input Current:	16A
Output Current:	16A
Rated Load:	2500W
Color:	White
Box Qty:	50 pcs

1.5M
Wire

SKU: 8734 3800157642460

4 prese 2p+t 10/16A Bipasso
2 prese 10/16A Bipasso/Schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	150x47x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	25 pcs

1.5M
Wire

SKU: 8735 3800157642477

6 prese 2p+t 10/16A Bipasso
3 prese 10/16A Bipasso/Schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	195x47x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	25 pcs

1.5M Wire



SKU: 8736 3800157642484
8 prese 2p+T10/16A Bipasso
4 prese Bipasso/Schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	240x47x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M Wire



SKU: 8737 3800157642491
4 pos. 10/16A Bipasso/Schuko
Con protezione sovratensioni e
interruttore generale luminoso e
4 interruttori indipendenti

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	225x72x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M Wire



SKU: 8738 3800157642507
5 pos. 10/16A Bipasso/Schuko
Con protezione sovratensioni
e interruttore generale luminoso e
5 interruttori indipendenti

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	260x72x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M Wire



SKU: 8739 3800157642514
6 pos. 10/16A Bipasso/Schuko
Con protezione sovratensioni
e interruttori generale luminoso e
6 interruttore indipendenti

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	305x70x35mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M Wire



SKU: 8740 3800157642521
4 pos. Con interruttore
luminoso 10/16A Bipasso
Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	160x50x30mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M Wire



SKU: 8741 3800157642538
5 pos. Con interruttore
luminoso 10/16A Bipasso
Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	180x47x30mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M Wire



SKU: 8742 3800157642545
6 pos. Con interruttore
luminoso 10/16A Bipasso
Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	200x50x30mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

SKU: 8716 3800157642286

Adattatore spina 16A
2 prese 2P+T 10/16A +
1 presa/Schuko
con interruttore



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	85x75x50mm
Input Current:	16A
Output Current:	16A
Rated Load:	1500W
Box Qty:	200 pcs

SKU: 8717 3800157642293

Spina 2p+t 10A



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	65x32x15mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8718 3800157642309

Spina 2p+t 16A



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	70x43x20mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8719 3800157642316

Spina 2p+t 10A



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	70x40x40mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8720 3800157642323

Adattatore spina 16A
presa 2p+T 10A schuko

Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	75x40x40mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8721 3800157642330

10A adattatore spina 10 A
3 prese 10 A

Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	60x50x48mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8722 3800157642347

Adattatore spina 16A
3 presa 10A /16A Bipasso

Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	60x47x40mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8723 3800157642354

Adattatore spina 10A
2presa 10/ 10A schuko

Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	75x50x40mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8724 3800157642361

Adattatore spina 16A
2presa 10/ 16A Bipasso
+ 1 Bipasso/schuko

Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	75x50x40mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8725 3800157642378

**Adattatore spina 10A
4 prese 10A**



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95x60x45mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8726 3800157642385

Spina 2p+t 16A



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95x60x45mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8727 3800157642392

Spina 2p+t 10A



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	65x35x25mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8728 3800157642408

**Prese 10A /16A Bipasso
2p+T**



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	65x43x25mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8744 3800157642569

**Adattatore rotante,Spina 10A
2 prese 2P+T 10/16A Bipasso+
1 presa Bipasso/Schuko
Con protezione de sovraccarico**



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	80x75x48mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	60 pcs

SKU: 8746 3800157642583

**Adattatore Spina 10A
4 prese 10/16A Bipasso
Con protezione de
sovraccarico**



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95x70x70mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8743 3800157642552

**Adattatore Spina 10A
2 prese 2P+T 10/16A Bipasso+
1 presa Bipasso/Schuko
Con protezione de sovraccarico**



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95x50x40mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs